


# Kitchen and Dining Space Final



Rachel Best

Kitchen and Dining Space Submission #2

ITMD 181-377


Fall 2024

November 24, 2024




# Design Concept Statement and Inspiration Images


This cottage-style kitchen blends timeless charm with modern touches, creating a warm and inviting space with a soothing tetradic color palette of soft blue, green, red, and orange. The hues are in **balance** with the **scale** of the quaint kitchen, creating an ambiance that evokes a sense of ease. Modern appliances with antique-inspired designs are seamlessly integrated, softening the **lines** and **shape** of the cabinetry which features beadboard and distressed finishes with nostalgic character. The Elmira Stove Works appliances include a dual-fuel convection range, a dishwasher with Pro-Scrub and Sani-Rinse modes, and a classic fridge-over-freezer refrigerator. The butcher block counter tops add to the classic cottage style while maximizing the food prep area. Subtle curves found in the appliances are repeated in the gentle arcs found in the arched doorway and windows, **unifying** the design elements and enhancing the kitchen's **harmony**. Natural **light** streams in through the arched windows, highlighting the **textures** of the beadboard ceiling and the Shiloh cabinetry which features interior accessories like a recycling center, integrated cutting board, roll out trays, and wire racks. Recessed luminaires, undercabinet lighting, and a semi-flush mount fixture provide ample ambient and task lighting in the kitchen. The **focal point** of the dining area is a fireplace that is flanked by additional cabinets for storage. The result of this interior design is a cohesive and welcoming space that celebrates the cottage aesthetic while remaining rooted in contemporary sensibilities. (236 words)




# Floor Plan




# Elevations



Kitchen – North Wall



Kitchen – East Wall



Dining – South Wall



Kitchen – North & East Walls



Kitchen – North Wall



Dining – South & West Walls

Jacksonville, IL


# Contemporary Cottage

## Kitchen and Dining Space



### Design Concept Statement and Inspiration

This cottage-style kitchen blends timeless charm with modern touches, creating a warm and inviting space with a soothing tetradic color palette of soft blue, green, red, and orange. The hues are in balance with the scale of the quaint kitchen, creating an ambiance that evokes a sense of ease. Modern appliances with antique-inspired designs are seamlessly integrated, softening the lines and shape of the cabinetry which features beadboard and distressed finishes with nostalgic character. The Elmira Stove Works appliances include a dual-fuel convection range, a dishwasher with Pro-Scrub and Sani-Rinse modes, and a classic fridge-over-freezer refrigerator. The butcher block counter tops add to the classic cottage style while maximizing the food prep area. Subtle curves found in the appliances are repeated in the gentle arcs found in the arched doorway and windows, unifying the design elements and enhancing the kitchen's harmony. Natural light streams in through the arched windows, highlighting the textures of the beadboard ceiling and the Shiloh cabinetry which features interior accessories like a recycling center, integrated cutting board, roll out trays, and wire racks. Recessed luminaires, undercabinet lighting, and a semi-flush mount fixture provide ample ambient and task lighting in the kitchen. The focal point of the dining area is a fireplace that is flanked by additional cabinets for storage. The result of this interior design is a cohesive and welcoming space that celebrates the cottage aesthetic while remaining rooted in contemporary sensibilities.



C  
l  
i  
e  
n  
t  
  
P  
r  
o  
f  
i  
l  
e


- A couple relocating to a rural area
- Downsizing
- Remodeling a farmhouse in a cottage style design
- Seeking a design that evokes a slower pace of life and reminiscent of their time spent in England
- Desires a kitchen with modern amenities.



Kitchen – North and East Walls



Floor Plan



Dining Area – South and West Walls



# Reports

Order Form

PROJECT DETAILS

**ID:** \_\_\_\_\_ **Creation Date:** 11/7/2024  
**Dealer:** \_\_\_\_\_

DESIGN DETAILS

**File name:** C:\Users\Owner\OneDrive - Johnson County Community College\Documents\2020 Files\Best\_VWeek3.kit  
**Reference:** \_\_\_\_\_ **Sold date:** \_\_\_\_\_  
**Designer ID:** \_\_\_\_\_ **Delivery date:** \_\_\_\_\_  
**Designer name:** \_\_\_\_\_ **Installation date:** \_\_\_\_\_  
**Sort order:** Base/Wall/Tall **Order number:** \_\_\_\_\_

CATALOG Decorative\_13171

**Supplier**  
20-20 Technologies **Phone:** (514)-332-4110  
**Fax:** (514)-334-6043

400 Armand Frappier Street

**Wall Door** **Drawer Front**  
**Tall Door** **Drawer Pull**  
**Base Door** **Door Pull**  
**Door style**

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
<b>Accessories</b>						
1	1	Utensils - 44	Utensils - 44	Utensils		125.31
2	1	Jar - 27	Jar - 27	Jar		223.29
3	1	Jar - 27	Jar - 27	Jar		69.19
4	1	Jar - 27	Jar - 27	Jar		144.42
5	1	Switch E - Double - 16	Switch E - Double - 16	Switch E - Double		295.50
6	1	Kitchen Painting - 65	Kitchen Painting - 65	Kitchen Painting		208.50
7	1	Painting - 66	Painting - 66	Painting		223.64
<b>Volume:</b>		0.00		<b>Weight:</b>		0.00
<b>Grand total:</b>						1,289.85

# Reports

CATALOG Elmira Stove Works_107						
<b>Supplier</b>		20-20 Technologies		<b>Phone:</b>	(514)-332-4110	
		400 Armand Frappier Street		<b>Fax:</b>	(514)-334-6043	
<b>Wall Door</b>				<b>Drawer Front</b>		
<b>Tall Door</b>				<b>Drawer Pull</b>		
<b>Base Door</b>				<b>Door Pull</b>		
<b>Door style</b>						
#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
<b>Appliances</b>						
8	1	1870-W-NI	1870-W-NI	Freestanding Dual Fuel Range 30" White, Optional Nickel Trim, 4-Burner		227.79
9	1	1957DW-W	1957DW-W	Built-in Dishwasher 24" White		178.47
10	1	1950-R-W	1950-R-W	Freestanding Electric Refrigerator 30" White-18.5 Cu. Ft. With Bottom Freezer Right Hand Hinge		24.75
<b>Volume:</b>		0.00		<b>Weight:</b>	0.00	
				<b>Grand total:</b>	<u>431.01</u>	

CATALOG ROOM_1						
<b>Supplier</b>		Cyncl		<b>Phone:</b>	(514) 332-4110	
		400 Armand Frappier Street		<b>Fax:</b>	(514)-334-6043	
<b>Wall Door</b>				<b>Drawer Front</b>		
<b>Tall Door</b>				<b>Drawer Pull</b>		
<b>Base Door</b>				<b>Door Pull</b>		
<b>Door style</b>						
#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
<b>Accessories</b>						
11	1	SketchUp Model				156.45
<b>Volume:</b>		0.00		<b>Weight:</b>	0.00	
				<b>Grand total:</b>	<u>156.45</u>	

# Reports

CATALOG ROOM_FUM_1						
<b>Supplier</b>						
Cynclly		<b>Phone:</b>	(514) 332-4110			
400 Armand Frappier Street		<b>Fax:</b>	(514)-334-6043			
<b>Wall Door</b>		<b>Drawer Front</b>				
<b>Tall Door</b>		<b>Drawer Pull</b>				
<b>Base Door</b>		<b>Door Pull</b>				
<b>Door style</b>	Price List					
#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
<b>Accessories</b>						
12	1	SPOT.RECESSED	SPOT. RECESSED	Spot (Recessed)		14.71
13	1	SPOT.RECESSED	SPOT. RECESSED	Spot (Recessed)		217.02
14	1	SPOT.RECESSED	SPOT. RECESSED	Spot (Recessed)		180.75
15	1	SPOT.RECESSED	SPOT. RECESSED	Spot (Recessed)		60.61
16	1	SPOT.RECESSED	SPOT. RECESSED	Spot (Recessed)		197.73
17	1	CEIL.LIGHT.3. CUP	CEIL.LIGHT.3. CUP.DOWN	Ceiling Light 3 Cups (Down)		274.78
<b>Volume:</b>	0.00		<b>Weight:</b>	0.00		
			<b>Grand total:</b>			<u>945.60</u>

CATALOG ROOM_TOP_1						
<b>Supplier</b>						
Cynclly		<b>Phone:</b>	(514)-332-4110			
400 Armand Frappier Street		<b>Fax:</b>	(514)-334-6043			
<b>Wall Door</b>		<b>Drawer Front</b>				
<b>Tall Door</b>		<b>Drawer Pull</b>				
<b>Base Door</b>		<b>Door Pull</b>				
<b>Door style</b>	Price List					
#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
<b>Countertops</b>						
18	54	SQ.FT-TOP		Square Foot Top		1,202.04
<b>Volume:</b>	0.00		<b>Weight:</b>	0.00		
			<b>Grand total:</b>			<u>1,202.04</u>

# Reports

CATALOG SENSIO_2_1						
<b>Supplier</b>		Sensio America, LLC		<b>Phone:</b>	866-842-4360	
				<b>Fax:</b>	518-615-9607	
270 Tubeway Drive						
<b>Wall Door</b>				<b>Drawer Front</b>		
<b>Tall Door</b>				<b>Drawer Pull</b>		
<b>Base Door</b>				<b>Door Pull</b>		
<b>Door style</b>	<b>List price</b>					
#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
<b>Accessories</b>						
19	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		324.65
20	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		54.72
21	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		262.43
22	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		4.83
23	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		213.20
24	1	SA10120WH	SA10120WH	LED 12V 0.8W 12D Rigid Strip, 11.81" (300mm). Cool White		132.66
25	1	SA10120WH	SA10120WH	LED 12V 0.8W 12D Rigid Strip, 11.81" (300mm). Cool White		141.97
26	1	SA10120WH	SA10120WH	LED 12V 0.8W 12D Rigid Strip, 11.81" (300mm). Cool White		293.65
27	1	SA10120WH	SA10120WH	LED 12V 0.8W 12D Rigid Strip, 11.81" (300mm). Cool White		134.75
28	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		289.51
29	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		223.19
30	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		204.87
31	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		250.17
32	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		129.51

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
33	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		104.07
34	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		249.27
35	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		321.61
36	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		322.49
37	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		110.29
38	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		180.52
39	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		326.91
40	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		269.16
41	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		271.19
42	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		264.94
43	1	SA10120WH	SA10120WH	LED 12V 0.8W 12D Rigid Strip, 11.81" (300mm). Cool White		90.92
44	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		26.22
45	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		278.85
46	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		257.47
47	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		227.64
48	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		265.43
49	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		102.46
50	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		16.10

# Reports

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
51	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		133.14
52	1	SA10121WW	SA10121WW	LED 12V 1.5W 24D Rigid Strip, 11.22" (285mm). Warm White		266.54
53	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		275.04
54	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		116.26
55	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		238.38
56	1	SA10312WW	SA10312WW	LED 12V 2.5W 36D Flexible Strip, 39.37" (1000mm). Warm White		170.10
57	1	SA40590	SA40590	DayBreak 12V 15W Dimmable Driver with 12 Port ML Block		214.10
*58	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		171.47
*59	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		2.13
*60	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		281.13
*61	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		146.76
*62	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		103.07
*63	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		163.83
*64	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		45.15

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
*65	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		85.72
*66	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		99.29
*67	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		81.16
*68	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		300.95
*69	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		116.02
*70	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		246.61
*71	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		310.49
*72	1	SA10314	SA10314	Flexible Strip Driver Lead with ML Connector, 98.43" (2500mm). Power connector used to connect the first flexible strip in a run.		290.52
*73	1	SA10317	SA10317	Flexible Strip Link Wire Connector, 59" (1500mm)		26.37
*74	1	SA10124	SA10124	Rigid Strip Driver Lead with ML Connector, 98.43" (2500mm). Power cable used to connect the first rigid strip in a run		161.08
*75	1	SA10124	SA10124	Rigid Strip Driver Lead with ML Connector, 98.43" (2500mm). Power cable used to connect the first rigid strip in a run		272.23
*76	1	SA10124	SA10124	Rigid Strip Driver Lead with ML Connector, 98.43" (2500mm). Power cable used to connect the first rigid strip in a run		239.52

# Reports

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
*77	1	SA10124	SA10124	Rigid Strip Driver Lead with ML Connector, 98.43" (2500mm). Power cable used to connect the first rigid strip in a run		251.23
*78	1	SA10124	SA10124	Rigid Strip Driver Lead with ML Connector, 98.43" (2500mm). Power cable used to connect the first rigid strip in a run		258.15
*79	1	SA10124	SA10124	Rigid Strip Driver Lead with ML Connector, 98.43" (2500mm). Power cable used to connect the first rigid strip in a run		175.87
*80	1	SA10125	SA10125	Rigid Strip End Caps. End cap to provide a finished appearance at the end of a rigid strip run		5.64
*81	1	SA10125	SA10125	Rigid Strip End Caps. End cap to provide a finished appearance at the end of a rigid strip run		191.47
*82	1	SA10125	SA10125	Rigid Strip End Caps. End cap to provide a finished appearance at the end of a rigid strip run		73.24
*83	1	SA10125	SA10125	Rigid Strip End Caps. End cap to provide a finished appearance at the end of a rigid strip run		323.73
*84	1	SA10125	SA10125	Rigid Strip End Caps. End cap to provide a finished appearance at the end of a rigid strip run		20.61
*85	1	SA10125	SA10125	Rigid Strip End Caps. End cap to provide a finished appearance at the end of a rigid strip run		139.49
<b>Volume:</b>		0.00	<b>Weight:</b>		0.00	
<b>Grand total:</b>						<u>12,342.14</u>

\*: non-plan item

# Reports

## CATALOG SHI24\_A\_1

### Supplier

W W WOOD PRODUCTS, INC.

Phone: (573) 624-3526

Fax: (573)-624-6671

P.O. BOX 50

Wall Door Aspen FP Inset Wall Dr

Drawer Front Flat Panel Inset Drwr Frnt {Upchg}

Tall Door Group A Inset Dr Tall

Drawer Pull 3/4" Hdwd Dovetail Drw/Blum FEG Guide

Base Door Beaded Century Inset Base Dr {GR

Door Pull

Door style BANS

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
---	-----	-----------	-------------	-------------	----------	------------

### Cabinets

19	1	BDB39L	BDB39L	Base Drawer Buffet	L	162.80
<b>Modifications:</b>				Width = 39 "		
				Width 2 = 0 "		
				Height = 34 1/2 "		
				Depth = 24 "		
19.1	1	DROT3/4	DROT3/4	Rollout Tray (Installed From ATT)		5.51
20	1	B24-2D	B24-2D	Base Cabinet	L	139.31
20.1	1	WTD-1	WTD	Stainless Steel Wire Tray Divider		73.00
21	1	BL36-RC-L	BL36-RC-L	Base Rt Angle w/ Recycling Center	L	167.78
22	1	SBA36	SBA36	Sink Base Apron Cabinet		107.30
<b>Modifications:</b>				Width = 36 "		
				Width 2 = 0 "		
				Height = 34 1/2 "		
				Depth = 24 "		
22.1	1	DROT3/4 {4}	DROT3/4 {4}	Rollout Tray {Qty 4} (Installed From ATT)		75.35
23	1	BBB12R	BBB12R	Base w/ Bread Board		281.86
<b>Modifications:</b>				Width = 12 "		
				Width 2 = 0 "		
				Height = 34 1/2 "		
				Depth = 24 "		
23.1	1	DROT3/4	DROT3/4	Rollout Tray (Installed From ATT)		134.59
24	1	U2184-3DRL	U2184-3DRL	Utility w/ 3 Drawers 84H	R	127.53
25	1	U2184-3DRR	U2184-3DRR	Utility w/ 3 Drawers 84H	L	238.86
26	1	F330	F330	Base Filler		322.63
27	1	F330	F330	Base Filler	R	246.39
28	1	F330	F330	Base Filler		13.33

Print date: 11/24/2024

Page 7 / 11

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
29	13	TK	TK	Toe Kick N/C		2,847.91
30	1	3SCR	3SCR	3 Shaker Crown Mould @120		216.26
31	4	3SCR	3SCR	3 Shaker Crown Mould @120		165.64
*32	1	MAPLE	MAPLE	Maple		284.34
*33	1	INS	INS	Inset Overlay {INS}		34.92
*34	1	DEFAULT	DEFAULT	Default Pull		221.43
*35	1	NO GLAZE	NO GLAZE	No Glaze		175.80
*36	1	SAND-THROUGH_1	SAND-THROUGH	Sand Through Character Technique		195.93
*37	1	WEARING_2	WEARING	Wearing Character Technique		269.55
*38	1	CLARY SAGE	CLARY SAGE	Clary Sage Paint Finish %		88.87
*39	1	CAFE HI-LT	CAFE HI-LT	Cafe Highlight for Paint		18.20
*40	9	BCP INS_B	BCP INS	Beaded Century Inset Base Dr {GR B} {INS}		509.76
*41	2	A INS DR TALL	A INS DR TALL	Group A Inset Dr Tall		301.06
*42	11	DF-FP INS	DF-FP INS	Flat Panel Inset Drwr Frnt {Upchg}		3,498.88
<b>Accessories</b>						
*43	17	3/4HDWDBLUFG	3/4HDWDBLUFEG	3/4" Hdwd Dovetail Drw/Blum FEG Guide		1,735.19
<b>Volume:</b>	149.78			<b>Weight:</b>	0.00	
					<b>Grand total:</b>	12,659.98

\*: non-plan item

# Reports

CATALOG SHI24_B_1						
<b>Supplier</b>						
W W WOOD PRODUCTS, INC.			<b>Phone:</b>	(573) 624-3526		
P.O. BOX 50			<b>Fax:</b>	(573)-624-6671		
<b>Wall Door</b>	Crown RP Inset Wall Dr		<b>Drawer Front</b>	Flat Panel Inset Drwr Frnt {Upchg}		
<b>Tall Door</b>	Group A Inset Dr Tall		<b>Drawer Pull</b>	3/4" Hdwd Dovetail Drw/Blum FEG Guide		
<b>Base Door</b>	Beaded Century Inset Base Dr {GR		<b>Door Pull</b>	BAND PRICE		
<b>Door style</b>	BAND PRICE					
#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
<b>Cabinets</b>						
44	1	W3942	W3942	Wall Cabinet	L	60.84
44.1	6	MD	MD	Mullion Wall Door per Door		456.54
45	1	W4842	W4842	Wall Cabinet	L	230.65
45.1	6	MD	MD	Mullion Wall Door per Door		922.68
46	1	W2442-2D	W2442-2D	Wall Cabinet	R	180.96
46.1	6	MD	MD	Mullion Wall Door per Door		585.00
47	1	W3342	W3342	Wall Cabinet	L	166.38
47.1	6	MD	MD	Mullion Wall Door per Door		37.32
48	1	RW3324-24D	RW3324-24D	Refrigerator Wall Cabinet		224.60
48.1	6	MD	MD	Mullion Wall Door per Door		472.50
49	1	F342	F342	Wall Filler		225.06
50	1	F330	F330	Wall Filler		1.02
*51	1	MAPLE	MAPLE	Maple		159.63
*52	1	INS	INS	Inset Overlay {INS}		56.81
*53	1	DEFAULT	DEFAULT	Default Pull		260.02
*54	1	NO GLAZE	NO GLAZE	No Glaze		213.10
*55	1	CAFE HI-LT	CAFE HI-LT	Cafe Highlight for Paint		179.03
*56	1	SAND-THROUGH_1	SAND-THROUGH	Sand Through Character Technique		264.65
*57	1	WEARING_2	WEARING	Wearing Character Technique		183.09

#	Qty	User code	Manuf. code	Description	Fin.Side	List Price
*58	1	PURE WHITE	PURE WHITE	Pure White Paint Finish %		71.68
*59	10	CRP INS_W	CRP INS	Crown RP Inset Wall Dr		2,090.20
<b>Volume:</b>	66.03		<b>Weight:</b>	0.00		
<b>Grand total:</b>						<u>7,041.76</u>
*: non-plan item						

QUOTE SUMMARY			
<b>Volume:</b>	215.81	<b>Weight:</b>	0.00
<b>Grand total:</b>	<u>\$23,726.69</u>		

# Thank You

*Rachel Best*

**MEILLEURE**  
INTERIORS

